


4 WIRE APARTMENT SYSTEM MONITOR

KCV-A374·D374

- 7" Color digital LCD monitor
- Easy to operate using OSD menu and icon button
- 5 Melody Selection
- Communication between Door camera, Guard phone and Lobby phone
- Connection up to 2 Door Cameras and 2 Monitors with Sub-Audio Unit (KDP-602G)
Internal communication between indoor units




COLOR




SPECIFICATIONS

Model No.	KCV-A374	KCV-D374
Power Source	AC 100V-AC240V 50/60Hz	DC 15V ±10%
Power Consumption	0.8W(Standby), 13W(Max.)	
LCD	7" Digital LCD	
Communication System	Hands-free Type	
Operating Temperature	0°C ~ +40°C	
Mount Type	Surface Mount	
Dimension	222(W) × 144(H) × 33(D) mm	

WIRING DIAGRAM





PRODUCT DIMENSION



CONNECTABLE PRODUCT



WIRING DIAGRAM ๕ KC-MC30 + KCV-A374



KC-MC30
กล้องนอกบ้าน
สำหรับใช้ติดตั้งภายใน



KCV-A374
จอในบ้าน ใช้สำหรับพูดคุยกับ
ผู้มาติดต่อ และปลดล็อคประตู